

Notice of Intent for the Offshore Subcategory of the On and Sub-Attack. Category for the Western Portion of the Outer Continental Shelf of the Gulf of Mexico Notice of Intent for the Offshore Subcategory of the Oil and Gas Extraction Point Source (GMG290000)

U.S. EPA Region 6 Offshore General Permits Mail Code 6EN-WC1445 Ross Ave., Suite 1200 Dallas, TX 75202-2733

Submission of this completed Notice of Intent (NOI) constitutes notice that the entity in Section B intends to be authorized to discharge pollutants to Federal waters of the Gulf of Mexico seaward of the outer boundary of the territorial seas offshore of Louisiana and Texas (77 Fed. Reg. No. 196, p. 61605, October 10, 2012,

http://www.epa.gov/region6/water/npdes/genpermit/gmg290000final/gmg290000finalpermit2012.pdf) www.epa.gov/region6/water/npdes/genpermit/. Submission of the NOI also constitutes notice that the party identified in Section B of this form has read, understands, and meets the eligibility conditions in the Regulated Entities section of the Final General Permit for the above mentioned permit and agrees to comply with all applicable terms and conditions of this General Permit. In order to be granted coverage, all information required on this form must be completed unless designated as optional. Please read and make sure you comply with all permit requirements.

	Enter NPDES ID *	Organization Formal Name 1			
GM G29	0329	Energy XXI GOM, LLC.			
		Contract Services	srer		
		Energy XXI			
Reason f	or Submission *				
O Chan	ge operator legal name and address	A	dd structures		Change structure information
O Delet	e structures	O A	dd limit set(s) for an existing permitted feature		O Delete limit set(s) from an existing permitted feature
Add Structure	rs .				
Non-Sen	sitive Areas				
Lease B	ock 1				
Lease Ar	ea Block Name "	Lease Area Block Number*	Lease Area Block BOEM Number *		
Ship Sh	oal	108	G00814	X	
6-1	1				
Structu	ie i				

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	Platform B	+ 28.85937 -	91.13038] X
Water Depth (in feet) 26	Built after 07/17/2006?* No			
	Cooling Water Intake Stru	cture (CW) Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
⊠ a v b s s s s s	Produced Water (PR)	San Lary & Domestic WW, Deck Drainage (WW)	Stock Base Fluid Drill (SB)	∑ Well Flores (WF)
Add Structure	3			
Structure 2				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	Platform C-QRTS	+ 28.85937	91.130693] X
Water Depth (in feet)	Built after 07/17/2006?* Design Intake Yes 0	Capacity (million gallons per day) * Design II	ntake Velocity (in feet per second) *	Percentage of Intake Water for Cooling *
Chen Issaed No	Cooling Water Intake Stru	cture (CW) Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance 6∀P (∀M)
X	Produced Water (PR)	San Tary & Domestic VVV. Deck Drainage (VVV)	Stock Base Fluid Drill (SB)	∑ Well Fluide (WF)
Add Structure				
Structure 3				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	Platform D	+ 28.859204 -	91.131668] X
Water Depth (in feet)	Built after 07/17/2006? * No			
X commence	Cooling Water Intake Stru	cture (CW) Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
× 0.000 000	Produced Water (PR)	⊠ San Lary & Dora est lo WW. Deck Drainage (WW)	Stock Base Fluid Drill (SB)	
Add Structure				
Structure 4				-

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	Platform CC	+ 28.859491 -	91.130599	X
Water Depth (in feet)	Built after 07/17/2006?* No			
Chein, Treated Misc Misc Olscharge (MO		Structure (CW) Drilling Fluids and Cuttings (DF) Sanitary & Domestic WW. Deck Drainage (WW)	Hydrate Control Fluid (HF) Stock Base Fluid Drill (SB)	Maintenance 8MP (WM) Well Fluids (WF)
Add Structure				
Lease Block 2				
Lease Area Block Name * Ship Shoal	Lease Area Block Numbe	er * Lease Area Block BOEM Number * G01228	X	
Structure 1 Type * Platform Water Depth (in feet) 98	Description Platform H Built after 07/17/2006?*	Latitude (in decimal degrees) * + 28.52	Longitude (in decimal degrees) * 90.908702	
Chan Treated Mice		Structure (CW) Drilling Fluids and Cuttings (DF) San tary & Demestic WW, Deck Orale age (WW)	Hydrate Control Fluid (HF) Stock Base Fluid Drill (SB)	Maintenance BMP (WM)
Add Structure Lease Block 3 Lease Area Block Name * Ship Shoal	Lease Area Block Numbe	er * Lease Area Block BOEM Number * G00827	X	
Structure 1				

Type *	Description	Latitude (in decimal degrees	s) *	Longitude (in decimal degrees) *	
Platform	Platform A	+ 28.528887		90.871013	X
Water Depth (in feet) 95	Built after 07/17/2006?* No				
	Cooling Water Intake St	ructure (CW) Drilling Fluidsand Ci	uttings (DF)	Hydrate Control Fluid (HF)	∑ Maintenance BMP (WM)
	Produced Water (PR)	Sanitary & Domestic Drainage (WW)		Stock Base Fluid Drill (SB)	Well Flaces (WF)
Add Structur	re				
Structure 2					
Type *	Description	Latitude (in decimal degrees	s) *	Longitude (in decimal degrees) *	
Platform	Platform A-LACT	+ 28.528611	-	90.870703	X
Water Depth (in feet)	Built after 07/17/2006?* No				
X Cham Transaction	Solvabalge (CT) Cooling Water Intake St	ructure (CW) Drilling Fluidsand Ci	uttings (DF)	Hydrate Control Fluid (HF)	X Maintenance BMP (WM)
X				Stock Base Fluid Drill (SB)	◯ Well Fluids (WF)
Add Structur		(AW)		dicon sale ridid 5 mir (cs)	Ø
Structure 3					
Type *	Description	Latitude (in decimal degrees	s) *	Longitude (in decimal degrees) *	
Platform	Platform A-QRTS	+ 28.528612	-	90.871014	X
Water Depth (in feet) 95	Built after 07/17/2006?* No				
X Com Teach	Cooling Water Intake St	ructure (CW) Drilling Fluidsand Ci	uttings (DF)	Hydrate Control Fluid (HF)	X Maintenance BMF (WM)
X MacDisciples	Produced Water (PR)	⊠ Sanitary & Doraedic Drainage (WW)		Stock Base Fluid Drill (SB)	∑ Well Fluide (₩F)
Add Structur	re e				
Structure 4					

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	1
Platform	Platform B	+ 28.528692 -	90.894177	X
Water Depth (in feet)	Built after 07/17/2006?* No			
	Cooling Water Intake Stru	cture (CW) Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
	Produced Water (PR)	Sanitary & Domestic WW, Deck Drainage (WW)	Stock Base Fluid Drill (SB)	Well Flords (WF)
Add Structur	e			
Structure 5				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	Platform BRP	+ 28.528967 -	90.894176] X
Water Depth (in feet)	Built after 07/17/2006?* No			
X Chara transcripts	Cooling Water Intake Stru	cture (CW) Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
	Produced Water (PR)	San Lary & Donaerdic WW. Deck Drainage (WW)	Stock Base Fluid Drill (SB)	Well Fluide:(WF)
Add Structur	e			
Structure 6				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	Platform G	+ 28.522368 -	90.862074	X
Water Depth (in feet)	Built after 07/17/2006?* No			
X	Cooling Water Intake Stru	cture (CW) Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	X Maintenance BMP (WM)
X MacDischarge (4)	Produced Water (PR)	San Lary & Dora entilo WW. Deck Drainage (WW)	Stock Base Fluid Drill (SB)	∑ Well Ruide (WF)
Add Structur	e			
Structure 7				

Type *	Description	Latitude (in decimal degrees	s) *	Longitude (in decimal degrees) *	1
Platform	Platform J	+ 28.535616		90.890049	X
Water Depth (in feet)	Built after 07/17/2006?*				
94	No				
Charles and Market Mark	Cooling Water Intake S			Hydrate Control Fluid (HF)	Maintenance BMP (WM)
	Produced Water (PR)	\boxtimes		Stock Base Fluid Drill (SB)	Well fluids (WF)
Add Structure					
Structure 8					
Type *	Description	Latitude (in decimal degrees	s) *	Longitude (in decimal degrees) *	
Platform	Platform K	+ 28.52145	-	90.867333	X
Water Depth (in feet)	Built after 07/17/2006?*				
107	No				
X Committee and the	Cooling Water Intake S	tructure (CW) Drilling Fluidsand Cu	uttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
X Max Drobbing at 1	Produced Water (PR)	San tary & Comercial Crainage WW		Stock Base Fluid Drill (SB)	Well Fluide(WF)
Add Structure					
Structure 9					
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	Platform M	+ 28.582539	-	90.894222	X
Water Depth (in feet)	Built after 07/17/2006?*				***************************************
X		tructure (CW) Drilling Fluidsand Cu	uttings (DF)	Hydrate Control Fluid (HF)	IX Maistenance BVP(VVM)
×	<u> </u>	Sanitury & Doraeralic Drainage (WW)		Stock Base Fluid Drill (SB)	── X Well Fly de (WF)
Add Structure		Cial age seve]	
Structure 10					

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	Platform N	+ 28.529236 -	90.876459	X
Water Depth (in feet)				
98	No			
	Sc. Discharge (CT) Cooling Water Intake Struc		Hydrate Control Fluid (HF)	Maintenance 8MP (WM)
	Produced Water (PR)	Senitary & Domestic WW, Deck Dramage (WW)	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structur	re			
Structure 11				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	Platform P	+ 28.549243 -	90.853494	X
Water Depth (in feet)				
84	No			
	So Olsonarge (Cli Cooling Water Intake Stru		Hydrate Control Fluid (HF)	Maintenance BMP (WW)
	Produced Water (PR)	San tary & Donaestic Well Deck Drainage WWW	Stock Base Fluid Drill (SB)	Well Fill derWF)
Add Structui	re			
Lease Block 4				
Lease Area Block Name	e * Lease Area Block Number *	Lease Area Block BOEM Number*		
Ship Shoal	215	G01230	<u> </u>	
Structure 1				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	Platform I	+ 28.491698 -	90.901726	X
Water Depth (in feet)	Built after 07/17/2006?*			
115	No			
	ee Creenarge (C3) Cooling Water Intake Stru		Hydrate Control Fluid (HF)	Maintenance BMP (WM)
× Mac Contract (4	Produced Water (PR)	San tary & Domestic XVV Deck Drainage (VVV)	Stock Base Fluid Drill (SB)	▼ Well Fluids(WF)
Add Structur	re			
				
Structure 2				J

Type * Platform	Description Platform L		atitude (in decimal degrees) *	Longitude (in decimal degrees) * 90.9029867	X
Water Depth (in feet			L		
100	No				
	Cooling Water I	ntake Structure (CW)	Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (VM)
Z	Produced Wate	r (PR)	Sanitary & Contestic WW. Deck Drainage (WW)	Stock Base Fluid Drill (SB)	Note that the same
Add Structu Add Lease Blo					
Add Lease Blo	ck				
Add Lease Blo	ck				
Add Lease Blo ensitive Areas Add Lease Blo	ck		Form Action *		

Digital Signature Acknowledgement

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those person directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.